(c) NATIONAL F	PHOTOGRAPHIC INTERPRETATION CENTER
	Attachment to 5 June 1967
	Page <u>1</u> Copy <u>58</u>
REFERENCE TO: TYURA	LAUNCH AREA G3-G4 TAM MISSILE TEST CENTER, USSR
1. SIGNIFICANCE:	ADDITIONAL DETAILS OF MODIFICATIONS TO
2. <u>LOCATION</u> :	APPROXIMATELY 30 NM NW OF THE TYURATAM MAIN SUPPORT BASE AND 2.3 NM NE OF THE LAUNCH COMPLEX "G" SUPPORT FACILITY.
3. REMARKS:	LAUNCH AREA G3-G4 WAS CONSIDERED COMPLETE IN HOWEVER, RENEWED CONSTRUCTION ACTIVITY HAS BEEN EVIDENT WITHIN THE LAUNCH AREA
	SINCE THE DOUBLE-FENCED LAUNCH AREA CONTAINS 2 RAIL- SERVED LAUNCH PADS, EACH HAVING AN EXHAUST APERT
	AT ITS APPROXIMATE CENTER AND A BLAST DEFLECTOR PARALLEL TO BOTH SIDES. EACH PAD IS SERVED BY A MISSILE GANTRY MOUNTED O RAILS EXTENDING TO THE REAR OF THE PAD. AN "L"-
	SHAPED ELECTRONIC FACILITY IS LOCATED APPROXIMAT 5,000 FT SSW OF THE CENTER OF THE LAUNCH AREA.

Approved For Release 2006/11/20 : CIA-RDP78T05929A002500050013-5

TOP SECRET




	Attachment to
	5 June 1967
	Page 3
•	
5. FIRST IDENTIFICATION	:
6. NEGATION DATE:	
	
7. SUBSEQUENT COVERAGE:	27 KH-4, 12 KH-7,
8. <u>DIMENSIONS</u> / SPECIFICATIONS:	PAD SEPARATION 2,000 FT
	PAD ORIENTATION:
	PAD G3
	PAD G ¹ 4
	LAUNCH PADS (EACH) 120 X
	EXHAUST APERTURE (EACH) 25 FT (DIAM.)
	PREIMETER OF EXHAUST APERTURE (EACH) (DIAM.)
	GANTRY HEIGHT (BOTH) 190 FT
	GANTRY TRACK WIDTH

d For	Release 2006/11/20 : CIA-RDP78T05929A002500050013-5 TOP SECRET	25X
	(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER	
	Attachment to 5 June 1967	25X
	Page <u>4</u>	
9.	MISSION READOUT: THE BUILDING CONSTRUCTED AT THE FORWARD CENTER	
	OF THE LAUNCH AREA HAS 3 CYLINDRICAL STRUCTURES ON ITS ROOF. A NEW DITCH	
	HAS BEEN OPENED FROM THE WESTERN EARTH-MOUNDED BUILDING WEST OF G4, THROUGH	
	AN EARTH-MOUNDED BUILDING NEAR THE CENTER OF THE LAUNCH AREA, TO A POINT	
	JUST WEST OF THE SUMP. THE WESTERN SIDE OF THE SUMP HAS BEEN EXCAVATED.	
	SEVERAL HUNDRED FEET TO THE REAR OF THE SUMP, THIS NEW DITCH FORKS WITH A	
	BRANCH EXTENDED TO THE NW A SHORT DISTANCE. THE BUILDING UNDER CONSTRUCTION	
	NEAR THE SITE ENTRANCE HAS A STACK ON ITS EAST SIDE. THE BUILT-IN ERECTORS	
	ON BOTH PADS ARE PARTIALLY ERECTED. A MISSILE TRANSPORTING RAIL CAR IS AT	ļ
	THE SOUTH EDGE OF PAD G3. THE NEW RECTANGULAR BUILDING EAST OF G4 IS NOW	
	RAIL SERVED. BOTH GANTRIES ARE LOCATED TO THE REAR OF THE PADS.	

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.

TOP SECRET

25X



Approved For Release 2006/11/20 : CIA-RDP78T05929A002500050013-5

